Public Telephone Office at Shameerpet

9. SHRI PRABHAKAR RAO KALVALA: Will the Minister of COMMUNICATIONS be pleased to state:

(a) whether there is any proposal to instal a Public Telephone Office at Shameerpet, Near Hyderabad in Andhra Pradesh;

(b) if so, what are the details thereof; and

(c) if not, what are the reasons therefor?

THE MINISTER OF STATE IN THE MINISTRY OF COMMUNICATIONS (SHRI GIRIDHAR GOMANGO): (a) to (c) A small Auto Exchange of 100 lines capacity with 62 working connections already exists at Shameerpet. One Public Telephone in the Post Office and another in a Grocer Shop are also working in the area.

Prices of Ethambutol and Pyracinamide

10. SHRIMATI RATAN KUMARI: Will the Minister of INDUSTRY be pleased to state:

(a) whether it is a fact that Ethambutol and Pyrazinamide are being marketed in the strength of 1 gm. tablets;

(b) if so, names of the companies who are producing and marketing the same;

(c) whether it is a fact that these tablets strengths are being sold without price approval;

(d) if so, since when and if not, what is the price fixed for each alongwith date and notification number;

(e) what steps have been taken to recover the overcharged amounts; and

(f) what is the import content in the production of Ethambutol and Pyrazinamide bulk drugs as per the latest details available with his Ministry?

THE MINISTER OF INDUSTRY (SHRI J. VENGAL RAO): (a) Yes, Sir.

(b) A number of companies are marketing Ethambutol 1 gm tablets. To the extent information is available, the companies engaged in the marketing of Pyrazinamide 1 gm Tablets are M/s. Cadila, Lupin Labs, PCI Pharma and Alembic Chemicals Works.

(c), (d) and (f) A ceiling price of Rs. 16-03 was notified for 10's strip cf Ethambutol lOOOmg Tablets under DPCO, 1987, vide SO No. 98 (E) dated 25-1-1989. Rest of the required details will be collected and laid on the table of the House.

(e) Does not arise.

Payment to **IDPL** and & HAL

11. DR. (SHRIMATI) SAROJINIMAHISHI: Will the Minister of INDUSTRY be pleased to state:

(a) whether IDPL and HAL have been given any amount other than those from the Consolidated Fund of India during 1987-88 and 1988-89;

(b) if so, what are the details of sources from which amount were given;

(c) what were the terms of such payments and what were the considerations on which these amounts were given;

(d) what are the details of liability of Government and the drug in respect of which these payments have been made;

(e) whether it is a fact that provisional losses of **IDPL** for **the year**

1987-88 have been arrived at after appropriating the amounts due to Government under para 7 of DPCO, 1979;

(f) what is the exact magnitude of these amounts; and

(g) what are their losses after creating a liability of dues into DPEA?

THE MINISTER OF INDUSTRY (SHRI J. VENGAL RAO) :
(a) to (d) The details of amounts paid to M/s. IDPL & M/s. HAL under the provisions of DPCO, 1979 (now DPCO, 1987) from the drugs price:3 Equalisation Amount during 1987-88 & 88-89 in respect of their claims price to 1986-87 arc given below:

	87-88 (Rs. in lakhs)	88-89 (Rs. in lakhs)
M/s. IDPL .	292.88	115.00
M/s. HAL .	76.87	18.26

(e) to (g) The required details to the extent available will be collected and laid on the Table of Rajya Sabha.

एल० पी० जी० के रेगुलेटरों में रिसाव (लीकेज) तथा खराबियों की जांच करने के लिए वसूल की जाने वाली फीस

1. **श्री सुशील कुमार पट्टनायक : क्या पेट्रोलियम और प्राकृतिक गैस मंत्री** यह बताने की कृपा करेंगे कि :

(क) क्या यह सच है कि एल० पी० जी० का वितरक मैसर्स, जी० एस० इण्डाइन, शालीमार पार्क, साहदरा, दिल्ली–110032 एल० पी० जी० के रेगुलेटरों से रिसाव (लीकेज) तथा खराबियों की जांच करने के लिए उपभोक्ताओं से 5 रुपये वसूल करता है, जो इंडियन आयल कारपोरेशन लिमिटेड के नियमों का उल्लंघन है ;

(ख) यदि उपर्युक्त भाग (क) का उत्तर "हां" हो तो क्या इस वितरक के पिछले लगभग 6 माह के दौरान की शिकायत-पुस्तिका की जांच पड़ताल कराये जाने का कोई प्रस्ताव है; और

(ग) यदि हां, तो यह कार्य कब तक किया जायेगा और यदि नहीं, तो इसके क्या कारण हैं ?

पेट्रोलियम और प्राकृतिक गैस मंत्रालय के राज्य मंत्री (श्री ब्रह्मदत्त) : (क) से (ग) जी, नहीं। इस वितरक के पास पिछले छः महीनों के दौरान दर्ज शिकायतों की इंडियन आयल कारपोरेशन ने जांच की है और यह पाया है कि लीकेज संबंधी शिकायतों की जांच के लिए इस वितरक द्वारा कोई फीस नहीं ली गई है।

उपभोक्ताओं को नये गैस कनेक्शन जारी किये जाने में विलम्ब

3. **श्री सुशील कुमार पट्टनायक : क्या पेट्रोलियम और प्राकृतिक गैस मंत्री** यह बताने की कृपा करेंगे कि :

(क) क्या यह सच है कि दिल्ली के पूर्वी भाग में एल० पी० जी० के डीलरों को पिछले एक वर्ष से समय पर रेगुलेटर प्राप्त नहीं हो रहे हैं ;

(ख) क्या यह भी सच है कि डीलर उपभोक्ताओं को नये गैस कनेक्शन जारी करने में 10 से 15 दिन का समय ले लेते हैं ;

(ग) यदि हां, तो इसके क्या कारण हैं और क्या यह भी सच है कि इसके मुकाबले नई दिल्ली क्षेत्र में स्थिति इतनी खराब नहीं है और इस प्रकार पूर्वी दिल्ली के एल० पी० जी० के डीलरों के साथ सदैव भेद भाव किया जाता है; और

(घ) यदि उपर्युक्त भाग (ग) का उत्तर "हां" हो तो, इसके क्या कारण हैं ?